

300 E. Mineral Ave., Suite 10 Littleton, CO 80122-2631 303/781-8211 303/781-1167 Fax

October 31, 2005

Fluid Minerals Group Bureau of Land Management Vernal Field Office 170 South 500 East Vernal, Utah 84078

RE: Application for Permit to Drill—Dominion Exploration & Production, Inc. HCU 2-28F: 290' FNL & 1,652' FEL, NW/4 NE/4,
Section 28, T10S, R20E, SLB&M, Uintah County, Utah

Dear Fluid Minerals Group;

On behalf of Dominion Exploration & Production, Inc. (Dominion), Buys & Associates, Inc. respectfully submits the enclosed original and two copies of the Application for Permit to Drill (APD) for the above referenced tribal well. A request for exception to spacing (Cause No. 197-11) is hereby requested based on topography since the well is located within 460' of the drilling unit boundary. Dominion Exploration & Production, Inc. is the only owner and operator within 460' of the proposed well. Included with the APD is the following supplemental information:

Exhibit "A" - Survey plats, layouts and photos of the proposed well site;

Exhibit "B" - Proposed location maps with access and utility corridors;

Exhibit "C" - Production site layout:

Exhibit "D" - Drilling Plan;

Exhibit "E" - Surface Use Plan;

Exhibit "F" - Typical BOP and Choke Manifold diagram.

Please accept this letter as Dominion's, written request for confidential treatment of all information contained in and pertaining to this application.

Thank you very much for your timely consideration of this application. Please feel free to contact myself or Carla Christian of Dominion at 405-749-5263 if you have any questions or need additional information.

Sincerely.

Don Hamilton
Agent for Dominion

cc: Diana Whitney, Division of Oil, Gas and Mining Bucky Secakuku, BIA—Uintah & Ouray Agency Carla Christian, Dominion

RECEIVED NOV 1 0 2005

FILE COPY

Form 3160-3 (February 2005)			FORM APPROVE OMB No. 1004-013		
UNITED STATES			Expires March 31,	2007	
DEPARTMENT OF THE I BUREAU OF LAND MAN.		<ol> <li>Lease Serial No. U-28203</li> </ol>	·		
APPLICATION FOR PERMIT TO		6. If Indian, Allotee or Tribe	Name		
APPLICATION FOR PERMIT TO	DRILL OR RECNIES		Ute Indian Tribe		
la. Type of work: DRILL REENTE	CR		7 If Unit or CA Agreement, N	ame and No.	
7			Hill Creek Unit		
lb. Type of Well: Oil Well Gas Well Other	Single Zone Multip	ele Zone	8. Lease Name and Well No. HCU 2-28F		
2. Name of Operator <b>Dominion Exploration &amp; Production, In</b>	ac.		9. API Well No. 43-047-3	73101	
	3b. Phone No. (include area code)		10. Field and Pool, or Explorato	ry	
Oklahoma City, OK 73134	405-749-5263		Natural Buttes		
4. Location of Well (Report location clearly and in accordance with any		7 88°	11. Sec., T. R. M. or Blk. and Su	rvey or Area	
At surface 290' FNL & 1,652' FEL, NW/4 NE/4		248	C 40 E14C DAG	C CT D 0 1 4	
At proposed prod. zone 290' FNL & 1,652' FEL, NW/4 NE/4	4, 4420052y · · · 44	7 "	Section 28, T10S, R20	E, SLB&M	
14. Distance in miles and direction from nearest town or post office*			12. County or Parish	13. State	
11.32 miles southwest of Ouray, Utah		ļ	Uintah	UT	
15. Distance from proposed* location to nearest	16. No. of acres in lease	17. Spacing	g Unit dedicated to this well		
property or lease line, ft. (Also to nearest drig. unit line, if any)  290'	1,880 acres	40 acr	res		
18. Distance from proposed location*	19. Proposed Depth	20. BLM/E	BLM/BIA Bond No. on file		
to nearest well, drilling, completed, applied for, on this lease, ft.  1,600'	8,050'	76S 63	3050 0330		
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will star	t*	23. Estimated duration		
5,077' GR	02/15/2006		14 days		
	24. Attachments				
The following, completed in accordance with the requirements of Onshor	e Oil and Gas Order No.1, must be at	tached to thi	s form:		
1. Well plat certified by a registered surveyor.	4. Bond to cover the	ne operation	ns unless covered by an existing	hand on file (see	
2. A Drilling Plan.	Item 20 above).	<b>,</b>	and the second of the second	oone on me (see	
<ol> <li>A Surface Use Plan (if the location is on National Forest System)</li> <li>SUPO must be filed with the appropriate Forest Service Office).</li> </ol>					
and the mass of most with the appropriate Potest Service Office).	6. Such other site BLM.	specific info	ormation and/or plans as may be	required by the	
25. Signature	Name (Printed/Typed)		Date	· · · · · · · · · · · · · · · · · · ·	
Don Hamilton	Don Hamilton		10/	31/2005	
Title Agent for Dominion					
Approved by (Signature)	Name (Printed/Typed)		Date,	^ _	
Joddy WXX	BRADLEY G	. HILL	-	10-05	
Title	ENVIRONMENTAL SC	IENTIST			

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Conditions of approval, if any, are attached.


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*(Instructions on page 2)

Federal Approval of this Action is Necessary

> RECEIVED NOV 1 C 2005

## T10S, R20E, S.L.B.&M.



(NAD 83)

#### BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

#### LEGEND:

= 90' SYMBOL

= PROPOSED WELL HEAD.

= SECTION CORNERS LOCATED.

### LATITUDE = 39.55'29.32'' (39.924811)

LONGITUDE =  $109^{\circ}39^{\circ}59.51^{\circ}$  (109.666531) (NAD 27)

LATITUDE =  $39^{\circ}55'29.45''$  (39.924847)


LONGITUDE = 109'39'57.02'' (109.665839)

#### DOMINION EXPLR. & PROD., INC.

Well location, HCU #2-28F, located as shown in the NW 1/4 NE 1/4 of Section 28, T10S, R20E, S.L.B.&M. Uintah County Utah.

#### BASIS OF ELEVATION

SPOT ELEVATION AT THE SOUTHWEST CORNER OF SECTION 20, T10S, R20E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN. NW QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP)PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5251 FEET.



THIS IS TO CERTIFY THAT THE ABOVE PLAT MASOPREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE, BY ME OF WHOER MY SUPERVISION AND THAT THE SAME TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AN

#### UINTAH ENGINEERING SURVEYING LAND VERNAL, UTAH 84078 85 SOUTH 200 EAST (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: DATE DRAWN: 1-21-05 1-28-05		
M.A. C.R. K.G.	REFERENCES G.L.O. PLAT		
WEATHER	FILE		
COLD	DOMINION EXPLR. & PROD., INC		

#### **DRILLING PLAN**

#### APPROVAL OF OPERATIONS

#### **Attachment for Permit to Drill**

Name of Operator:

**Dominion Exploration & Production** 

Address:

14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location:

HCU 2-28F

290' FNL & 1652' FEL Section 28-10S-20E Uintah County, UT

1. GEOLOGIC SURFACE FORMATION

Uintah

#### 2. ESTIMATED DEPTHS OF IMPORTANT GEOLOGIC MARKERS

<u>Formation</u>	<u>Depth</u>
Wasatch Tongue	3,850'
Uteland Limestone	4,215
Wasatch	4,365'
Chapita Wells	5,260'
Uteland Buttes	6,430'
Mesaverde	7,250'

#### 3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS

<u>Formation</u>	<u>Depth</u>	<u>Type</u>
Wasatch Tongue	3,850'	Oil
Uteland Limestone	4,215'	Oil
Wasatch	4,365'	Gas
Chapita Wells	5,260'	Gas
Uteland Buttes	6,430'	´ Gas
Mesaverde	7,250'	Gas

#### 4. PROPOSED CASING PROGRAM

All casing used to drill this well will be new casing.

<u>Type</u>	<u>Size</u>	Weight	<u>Grade</u>	Conn.	<u>Top</u>	Bottom	<u>Hole</u>
Surface	8-5/8"	32.0 ppf	J-55	STC	0'.	2,000	12-1/4"
Production	5-1/2"	17.0 ppf	MAV-80	LTC	0,	8,050	7-7/8"

Note: The drilled depth of the surface hole and the setting depth of the surface casing may vary from 1,700' to 2,000'. Should a lost circulation zone be encountered while drilling, casing will be set approximately 300' below the lost circulation zone. If no lost circulation zone is encountered, casing to be set at 2,000'±.

#### **DRILLING PLAN**

#### APPROVAL OF OPERATIONS

### 5. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

Surface hole: No BOPE will be utilized. Air foam mist, rotating head and diverter system will be utilized.

Production hole: Prior to drilling out the surface casing shoe, 3,000 psi or greater BOP equipment will be installed. The pipe rams will be operated at least once per day from intermediate casing to total depth. The blind rams will be tested once per day from intermediate casing to total depth if operations permit.

A diagram of the planned BOP equipment for normal drilling operations in this area is attached. As denoted there will be two valves and one check valve on the kill line, two valves on the choke line, and two adjustable chokes on the manifold system. The BOP "stack" will consist of two BOP rams (1 pipe, 1 blind) and one annular type preventer, all rated to a minimum of 3,000 psi working pressure.

The BOP equipment will be pressure tested prior to drilling below the intermediate casing shoe. All test pressures will be maintained for fifteen (15) minutes without any significant pressure decrease. Clear water will be circulated into the BOP stack and lines prior to pressure testing. The following test pressures will be used as a minimum for various equipment items.

1.	Annular BOP	1,500 psi
2.	Ram type BOP	3,000 psi
3.	Kill line valves	3,000 psi
4.	Choke line valves and choke manifold valves	3,000 psi
5.	Chokes	3,000 psi
6.	Casing, casinghead & weld	1,500 psi
7.	Upper kelly cock and safety valve	3,000 psi
8.	Dart valve	3,000 psi

#### MUD SYSTEMS

- An air or an air/mist system may be used to drill to drill the surface hole until water influx becomes too great.
- KCL mud system will be used to drill well.

<u>Depths</u>	Mud Weight (ppg)	Mud System
0' - 2,000'	8.4	Air foam mist, rotating head and diverter
2,000' - 8,050'	8.6	Fresh water/2% KCL/KCL mud system

#### BLOOIE LINE

- An automatic igniter will not be installed on blooie line. The blooie will have a contant ignition source.
- A "target tee" connection will be installed on blooie line for 90° change of directions for abrasion resistance.
- "Target tee" connections will be a minimum of 50' from wellhead.
- The blooie line discharge will be a minimum of 100' from the wellhead.

#### 8. AUXILIARY EQUIPMENT TO BE USED

- a. Kelly cock.
- b. Full opening valve with drill pipe connection will be kept on floor. Valve will be used when the kelly is not in string.

#### 9. TESTING, LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

- A drillstem test in the Wasatch Tongue is possible.
- One electric line wire-log will be run from total depth to surface casing.
- The gamma ray will be left on to record from total depth to surface casing.
- Other log curves (resistivities, porosity, and caliper) will record from total depth to surface casing.
- A dipmeter, percussion cores, or rotary cores may be run over selected intervals.

#### 10. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

- Expected BHP 1,500-2,000 psi (lower than normal pressure gradient).
- No abnormal temperature or pressures are anticipated.
- The formations to be penetrated do not contain known H2S gas.

#### **DRILLING PLAN**

#### APPROVAL OF OPERATIONS

#### WATER SUPPLY

- No water pipelines will be laid for this well.
- No water well will be drilled for this well.
- Drilling water for this will be hauled on the road(s) shown in Attachment No. 3.
- Water will be hauled from: Water Permit # 43-10447 Section 9, Township 8 South, Range 20 East

#### **CEMENT SYSTEMS** 12.

#### Surface Cement:

- Drill 12-1/4" hole to 2,000'±, run and cement 8-5/8" to surface (depth to vary based on depth of lost circulation
- Pump 20 bbls lightly weighted water spacer followed by 5 bbls fresh water. Displace with any available water.
- Casing to be run with: a) guide shoe b) insert float c) three (3) centralizers, one on each of first 3 joints d) stop ring for plug two joints off bottom e) bottom three joints thread locked f) pump job with bottom plug only.
- Cement the casing annulus to surface. Top out jobs to be performed if needed. Depending to depth of top of cement in the annulus, a 1" tubing string may or may not be utilized.

					<u>Hole</u>	<u>Cement</u>	
Type	Sacks	<u>Interval</u>	<b>Density</b>	<u>Yield</u>	<u>Volume</u>	<u>Volume</u>	<u>Excess</u>
Lead	252	0'-1,500'	11.0 ppg	3.82 CFS	619 CF	835 CF	35%
Tail	219	1,500'-2,000'	15.6 ppg	1.18 CFS	220 CF	297 CF	35%
Top Out	100	0'-200'	15.6 ppg	1.18 CFS	95 CF	118 CF	24% (if required)
Lead Mix:	Slurry	ium Plus V blend. y yield: r requirement:	Blend include 3.82 cf/sack 22.95 gal/sac	Sh	cement, gel, salt, urry weight:	gilsonite. 11.00 #/gal.	

Tail Mix: Slurry vield: 1.18 cf/sack

Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 44.3% fresh water. 15.60 #/gal. Slurry weight:

Water requirement: 5.2 gal/sack

Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 44.3% fresh water. Top Out:

Slurry yield:

1.18 cf/sack Slurry weight: 15.60 #/gal.

Water requirement: 5.2 gal/sack

#### c. Production Casing Cement:

- Drill 7-7/8" hole to 8,050'±, run and cement 5 1/2".
- Cement interface is at 4,000', which is typically 500'-1,000' above shallowest pay.
- Pump 20 bbl Mud Clean II unweighted spacer, followed by 20 Bbls fresh H20 spacer.
- Displace with 3% KCL.

		,			<u>Hole</u>	<u>Cement</u>	
<u>Type</u>	Sacks	<u>Interval</u>	<b>Density</b>	Yield Yield	Volume	<u>Volume</u>	<b>Excess</b>
Lead	160	3,700'-4,700'	11.5 ppg	3.12 CFS	175 <b>CF</b>	350 <b>CF</b>	100%
Tail	435	4,700'-8,050'	13.0 ppg	1.75 CFS	473 <b>CF</b>	946 <b>CF</b>	100%

Note: A caliper log will be ran to determine cement volume requirements.

Halliburton Prem Plus V blend. Blend includes Class "C" cement, gel, salt, gilsonite, EX-1 and HR-7. Lead Mix:

Slurry weight: 11.60 #/gal. 3.12 cf/sack Slurry yield:

Water requirement: 17.71 gal/sack Compressives (a) 130°F: 157 psi after 24 hours

& HR-5.

Halliburton HLC blend (Prem Plus V/JB flyash). Blend includes Class "G" cement, KCl, EX-1, Halad 322,

Slurry vield:

1.75 cf/sack Slurry weight: 13.00 #/gal.

Water requirement: 9.09 gal/sack

Compressives (a), 165°F: 905 psi after 24 hours

#### 13. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date:

February 15, 2006

Duration:

Tail Mix:

14 Days

#### SURFACE USE PLAN

#### CONDITIONS OF APPROVAL

#### Attachment for Permit to Drill

Name of Operator:

**Dominion Exploration & Production** 

Address:

14000 Quail Springs Parkway, Suite 600

Well Location:

HCU 2-28F

Oklahoma City, OK 73134

290' FNL & 1652' FEL Section 28-10S-20E Uintah County, UT

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

The tribal onsite inspection for the referenced well was conducted on Monday, September 19, 2005 at approximately 2:30 pm. In attendance at the onsite inspection were the following individuals:

Dustin Nephi

Technician

Ute Indian Tribe-Energy & Minerals

Nicole Mortensen

Environmental Protection Spec.

Uintah & Ouray Agency - BIA

Jim Ashley

Karl Wright

Petroleum Engineer

Uintah & Ouray Agency - BIA

Nat. Res. Prot. Spec.

Bureau of Land Management - Vernal

Ken Secrest

Field Foreman

Dominion E & P, Inc.

**Brandon Bowthorpe** 

Surveyor

Uintah Engineering and Land Surveying

Jason Robins

Surveyor Helper

**Uintah Engineering and Land Surveying** 

Grizz Oleen

**Biologist** 

Buys & Associates, Inc.

Don Hamilton

Agent

Buys & Associates, Inc.

#### 1. **Existing Roads:**

- The proposed well site is located approximately 11.32 miles south of Ouray, UT. a.
- Directions to the proposed well site have been attached at the end of Exhibit B. b.
- The use of roads under State and County Road Department maintenance are necessary to c. access the Hill Creek Unit. However, an encroachment permit is not anticipated since no upgrades to the State or County Road system are proposed at this time.
- All existing roads will be maintained and kept in good repair during all phases of operation. d.
- Vehicle operators will obey posted speed restrictions and observe safe speeds commensurate e. with road and weather conditions.
- Since no improvements are anticipated to the State, County, Tribal or BLM access roads no f. topsoil striping will occur.
- An off-lease federal right-of-way is not anticipated for the access road or utility corridor g. since both are located within the existing Hill Creek Unit boundary.
- A tribal right-of-way has been submitted for the wellsite, access and pipeline disturbances on h. Ute Indian Tribe surface.

#### 2. Planned Access Roads:

- a. From the proposed RBU 16-21F access road an access is proposed trending south approximately 100' to the proposed well site. The access consists of entirely new disturbance and crosses no significant drainages.
- b. A road design plan is not anticipated at this time.
- c. The proposed access road will consist of a 24' travel surface within a 30' disturbed area across tribal lands.
- d. BLM approval to construct and utilize the proposed access road is requested with this application.
- e. A maximum grade of 10% will be maintained throughout the project with minor cuts and fills required to access the well.
- f. No turnouts are proposed since the access road is only 100' long and adequate site distance exists in all directions.
- g. No low water crossings or culverts are anticipated. Adequate drainage structures will be incorporated into the road.
- h. No surfacing material will come from federal or Indian lands.
- i. No gates or cattle guards are anticipated at this time.
- j. Surface disturbance and vehicular travel will be limited to the approved location access road.
- k. All access roads and surface disturbing activities will conform to the standards outlined in the Bureau of Land Management and Forest Service publication: <u>Surface Operating Standards for Oil and Gas Exploration and Development</u>, (1989).
- The operator will be responsible for all maintenance of the access road including drainage structures.

#### 3. Location of Existing Wells:

a. Exhibit B has a map reflecting these wells within a one mile radius of the proposed well.

#### 4. Location of Production Facilities:

- a. All permanent structures will be painted a flat, non-reflective Desert Brown to match the standard environmental colors. All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) may be excluded.
- b. Site security guidelines identified in 43 CFR 3163.7-5 and Onshore Oil and Gas Order No. 3 will be adhered to.
- c. A gas meter run will be constructed and located on lease within 500 feet of the wellhead. Meter runs will be housed and/or fenced. All gas production and measurement shall comply with the provisions of 43 CFR 3162. 7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.

- d. A tank battery will be constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain the storage capacity of the largest tank. All loading lines and valves will be placed inside the berm surrounding the tank battery. All liquid hydrocarbons production and measurement shall conform to the provisions of 43 CFR 3162.7-3 and Onshore Oil and Gas Order No. 4 and Onshore Oil and Gas Order No. 5 for natural gas production and measurement.
- e. Any necessary pits will be properly fenced to prevent any wildlife and livestock entry.
- f. All access roads will be maintained as necessary to prevent erosion and accommodate year-round traffic. The road will be maintained in a safe useable condition.
- g. The site will require periodic maintenance to ensure that drainages are kept open and free of debris, ice, and snow, and that surfaces are properly treated to reduce erosion, fugitive dust, and impacts to adjacent areas.
- h. A gas pipeline is associated with this application and is being applied for at this time. The proposed gas pipeline corridor will leave the north side of the well site and traverse 850' north then east to the existing4" pipeline corridor proposed for the RBU 16-21F. The pipeline crosses entirely tribal surface.
- i. The new gas pipeline will be a 4" steel surface line within a 20' wide utility corridor. The use of the proposed well site and access roads will facilitate the staging of the pipeline construction. A new pipeline length of approximately 850' is associated with this well.
- j. Dominion intends on installing the pipeline on the surface by welding many joints into long lengths, dragging the long lengths into position and then completing a final welding pass to join the long lengths together. Dominion intends on connecting the pipeline together utilizing conventional welding technology.

#### 5. <u>Location and Type of Water Supply:</u>

a. The location and type of water supply has been addressed as number 11 within the previous drilling plan information.

#### 6. Source of Construction Material:

- a. The use of materials will conform to 43 CFR 3610.2-3.
- b. No construction materials will be removed from Ute Tribal or BLM lands.
- c. If any gravel is used, it will be obtained from a state approved gravel pit.

#### 7. Methods of Handling Waste Disposal:

- a. All wastes associated with this application will be contained and disposed of utilizing approved facilities.
- b. Drill cuttings will be contained and buried on site.
- The reserve pit will be located outboard of the location and along the east side of the pad.
- d. The reserve pit will be constructed so as not to leak, break, or allow any discharge.

- e. The reserve pit will be lined with 12 mil minimum thickness plastic nylon reinforced liner material. The liner will overlay a felt liner pad only if rock is encountered during excavation. The pit liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. Pit walls will be sloped no greater than 2:1. A minimum 2-foot freeboard will be maintained in the pit at all times during the drilling and completion operation.
- f. The reserve pit has been located in cut material. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry. After the reserve pit has dried, all areas not needed for production will be rehabilitated.
- g. No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completion of the well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completion of the well.
- h. Trash will be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than at the completion of drilling operations. The contents of the trash container will be hauled off periodically to the approved Uintah County Landfill near Vernal, Utah.
- i. Produced fluids from the well other than water will be produced into a test tank until such time as construction of production facilities is completed. Any spills of oil, gas, salt water or other produced fluids will be cleaned up and removed.
- j. After initial clean-up, a 400 bbl tank will be installed to contain produced waste water. This water will be transported from the tank to an approved Dominion disposal well for disposal.
- k. Produced water from the production well will be disposed of at the RBU 13-11F or RBU 16-19F disposal wells in accordance with Onshore Order #7.
- Any salts and/or chemicals, which are an integral part of the drilling system, will be disposed
  of in the same manner as the drilling fluid.
- m. Sanitary facilities will be on site at all times during operations. Sewage will be placed in a portable chemical toilet and the toilet replaced periodically utilizing a licensed contractor to transport by truck the portable chemical toilet so that its contents can be delivered to the Vernal Wastewater Treatment Facility in accordance with state and county regulations.

#### 8. Ancillary Facilities:

- a. Garbage Containers and Portable Toilets are the only ancillary facilities proposed in this application.
- 9. Well Site Layout: (See Exhibit B)
  - a. The well will be properly identified in accordance with 43 CFR 3162.6.
  - b. Access to the well pad will be from the north.

- c. The pad and road designs are consistent with BLM specification
- d. A pre-construction meeting with responsible company representative, contractors, and the Ute Tribe will be conducted at the project site prior to commencement of surface-disturbing activities. The pad and road will be construction-staked prior to this meeting.
- e. The pad has been staked at its maximum size of 355' X 200'; however it will be constructed smaller if possible, depending upon rig availability. Should the layout change, this application will be amended and approved utilizing a sundry notice.
- f. All surface disturbing activities, will be supervised by a qualified, responsible company representative who is aware of the terms and conditions of the APD and specifications in the approved plans.
- g. All cut and fill slopes will be such that stability can be maintained for the life of the activity.
- Diversion ditches will be constructed as shown around the well site to prevent surface waters form entering the well site area.
- i. The site surface will be graded to drain away from the pit to avoid pit spillage during large storm events.
- j. The stockpiled topsoil (first 6 inches or maximum available) will be stored in a windrow on the uphill side of the location to prevent any possible contamination. All topsoil will be stockpiled for reclamation in such a way as to prevent soil loss and contamination.
- k. Pits will remain fenced until site cleanup.
- 1. The blooie line will be located at least 100 feet from the well head.
- m. Water injection may be implemented if necessary to minimize the amount of fugitive dust.

#### 10. Plans for Restoration of the Surface:

- a. Site reclamation for a producing well will be accomplished for portions of the site not required for the continued operation of the well.
- b. The Operator will control noxious weeds along access road use authorizations, pipeline route authorizations, well sites, or other applicable facilities by spraying or mechanical removal. A list of noxious weeds may be obtained from the BLM or the appropriate County Extension Office. On Tribal administered land, it is required that a Pesticide Use Proposal be submitted and approved prior to the application of herbicides, pesticides or possibly hazardous chemicals.
- c. Upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1. Once the reserve pit is dry, the plastic nylon reinforced liner shall be torn and perforated before backfilling of the reserve pit. The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours.
- d. The cut and fill slopes and all other disturbed areas not needed for the production operation will be top soiled and re-vegetated. The stockpiled topsoil will be evenly distributed over the disturbed area.
- Prior to reseeding the site, all disturbed areas, including the access road, will be scarified and left with a rough surface. The site will then be seeded and/or planted as prescribed by the

Ute Indian Tribe. The Ute Indian Tribe recommended seed mix will be detailed within their approval documents.

#### 11. Surface and Mineral Ownership:

- a. Surface Ownership Ute Indian Tribe under the management of the Bureau of Indian Affairs Uintah and Ouray Agency, P.O. Box 130, 988 South 7500 East, Ft. Duchesne, Utah 84026, 435-722-4300.
- Mineral Ownership Federal under the management of the Bureau of Land Management -Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.

#### 12. Other Information:

- a. AIA Archaeological has conducted a Class III archeological survey. A copy of the report has been submitted under separate cover to the appropriate agencies by AIA Archaeological.
- b. Alden Hamblin has conducted a paleontological survey. A copy of the report has been submitted under separate cover to the appropriate agencies by Alden Hamblin.
- c. Our understanding of the results of the onsite inspection are:
  - a. No Threatened and Endangered flora and fauna species were found during the onsite inspection.
  - b. No drainage crossings that require additional State or Federal approval are being crossed.

#### 13. Operator's Representative and Certification

Title	Name	Office Phone
Company Representative (Roosevelt)	Ken Secrest	1-435-722-4521
Company Representative (Oklahoma)	Carla Christian	1-405-749-5263
Agent for Dominion	Don Hamilton	1-435-637-4075

#### Certification:


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exists; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Dominion Exploration & Production, Inc. and its contractors and subcontractors in conformity with this APD package and the terms and conditions under which it is approved. I also certify responsibility for the operations conducted on that portion of the leased lands associated with this application, with bond coverage being provided under Dominion's BLM bond. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.


Signature: Don Hamilton Date: 10-31-05

## DOMINION EXPLR. & PROD., INC. HCU #2-28F SECTION 28, T10S, R20E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88: EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 9.1 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 2.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE WEST; TURN RIGHT AND PROCEED IN A WESTERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 0.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTH; TURN RIGHT AND PROCEED IN A NORTHERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 1.7 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; PROCEED IN A SOUTHWESTERLY, THEN SOUTHEASTERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 0.6 MILES TO THE BEGINNING OF THE PROPOSED ACCESS FOR THE #16-21F TO THE SOUTHEASTERLY, THEN SOUTHEAST; FOLLOW ROAD FLAGS IN A EASTERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE SOUTH; FOLLOW ROAD FLAGS IN A SOUTHERLY DIRECTION APPROXIMATELY 100' TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 46.0 MILES.





## DOMINION EXPLR. & PROD., INC.

HCU #2-28F LOCATED IN UINTAH COUNTY, UTAH SECTION 28, T10S, R20E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

**CAMERA ANGLE: WESTERLY** 




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

**CAMERA ANGLE: SOUTHWESTERLY** 



Uintah Engineering & Land Surveying


85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com


LOCATION PHOTOS


O1 27 05 MONTH DAY YEAR


РНОТО


TAKEN BY: M.A. DRAWN BY: C.P. REVISED: 00-00-00














## BOP STACK -3000\*



## CHOKE MANIFOLD - 3000 4



APD RECEIVED: 11/04/2005	API NO. ASSIGNED: 43-047-37361
WELL NAME: HCU 2-28F  OPERATOR: DOMINION EXPL & PROD ( N1095 )  CONTACT: DON HAMILTON  PROPOSED LOCATION:  NWNE 28 100S 200E	PHONE NUMBER: 435-650-1886  INSPECT LOCATN BY: / /
SURFACE: 0290 FNL 1652 FEL BOTTOM: 0290 FNL 1652 FEL	Tech Review Initials Date
UINTAH	Engineering
NATURAL BUTTES ( 630 )	Geology
LEASE TYPE: 1 - Federal LEASE NUMBER: U-28203	Surface
SURFACE OWNER: 1 - Federal PROPOSED FORMATION: MVRD COALBED METHANE WELL? NO	LATITUDE: 39.92479  LONGITUDE: -109.6659
RECEIVED AND/OR REVIEWED:  Plat Bond: Fed[1] Ind[] Sta[] Fee[]  (No. 76S630500330 )  Potash (Y/N)  Oil Shale 190-5 (B) or 190-3 or 190-13  Water Permit  (No. 43-10447 )  RDCC Review (Y/N)  (Date: )  NA Fee Surf Agreement (Y/N)  AND Intent to Commingle (Y/N)	LOCATION AND SITING:  R649-2-3.  Unit HILL CREEK  R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells  R649-3-3. Exception  Drilling Unit  Board Cause No:
COMMENTS:	
STIPULATIONS: 1- Lace of approved  3- DIL SHALE	



## **United States Department of the Interior**

# BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

November 7, 2005

#### Memorandum

To:

Assistant District Manager Minerals, Vernal District

From:

Michael Coulthard, Petroleum Engineer

Subject:

2005 Plan of Development Hill Creek Unit Uintah County,

Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2005 within the Hill Creek Unit, Uintah County, Utah.

API# WELL NAME LOCATION

(Proposed PZ MesaVerde)

43-047-37359 HCU 2-32F Sec 32 T10S R20E 0247 FNL 1769 FEL

43-047-37361 HCU 2-28F Sec 28 T10S R20E 0290 FNL 1652 FEL

43-047-37360 HCU 11-33F Sec 33 T10S R20E 1996 FSL 0393 FWL
BHL Sec 33 T10S R20E 1995 FSL 1680 FWL

Our records indicate the 2-28 is closer than 460 feet from the Hill Creek Unit boundary.

We have no objections to permitting the wells so long as the unit operator receives an exception to the locating and siting requirements of the State of Utah (R649-3-2).

/s/ Michael L. Coulthard

bcc: I

File - Hill Creek Unit

Division of Oil Gas and Mining

Central Files Agr. Sec. Chron Fluid Chron



Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA Division Director JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

November 10, 2005

Dominion Exploration & Production, Inc 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134

Re: Hill Creek Unit 2-28F Well, 290' FNL, 1652' FEL, NW NE, Sec. 28, T. 10 South, R. 20 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-37361.

Sincerely,

Gil Hunt

Associate Director

pab Enclosures

cc: Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Dominion Exploration & Production, Inc				
Well Name & Number	Hill Creek Unit 2-28F				
API Number:	43-047-37361				
Lease:	U-28203				
Location: <u>NW NE</u>	Sec28_	<b>T.</b> 10 South	<b>R.</b> 20 East		

#### **Conditions of Approval**

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### 2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

#### 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. In accordance with Order in Cause No. 190-5(b) dated October 28, 1982, the Operator shall comply with requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale Areas. Additionally, the operator shall ensure that the surface and/or production casing is properly cemented over the entire oil shale interval as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the Division.

Form 3160-5 (August, 1999)

#### UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0135

Expires: November 30, 2000 **BUREAU OF LAND MANAGEMENT** Lease Serial No. SUNDRY NOTICES AND REPORTS ON W U-28203 5. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to re-ente abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit or CA/Agreement, Name and/or No. Hill Creek Unit 1. Type of Well 8. Well Name and No. Oil Well Gas Well Other **HCU 2-28F** 2. Name of Operator 9. API Well No. Dominion Exploration & Production, Inc. 43-047-37361 3b. Phone No. (include area code) 3a. Address Suite 600 10. Field and Pool, or Exploratory Area (405) 749-5263 14000 Quail Springs Parkway, OKC, OK 73134 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) **Natural Buttes** 11. County or Parish, State 290' FNL & 1652' FEL, NW NE, Section 28-10S-20E Uintah, UT 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION Water Shut-Off Production (Start/Resume) Notice of Intent Acidize Deepen Well Integrity Altering Casing Fracture Treat Reclamation Other Recomplete Subsequent Report Casing Repair New Construction APD Extension Plug and Abandon Temporarily Abandon Change Plans Water Disposal Plug Back Convert to Injection Final Abandonment Notice Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.) The State APD expires November 10, 2006. Dominion is hereby requesting a one year extension. Approved by the Utah Division of Oil, Gas and Mining COPY SENT TO OPERATOR Date: Inilials 14. I hereby certify that the foregoing is true and correct Name (Printed Typed) Sr. Regulatory Specialist Title Carla Christian Signature Date 10/26/2006 Title Date Approved by Conditions of approval, if any, are attached. Approval of this notice does not warrant or Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

certify that the applicant holds legal or equitable title to those rights in the subject lease

which would entitle the applicant to conduct operations thereon.

RECEIVED **OCT 3 0 2006** 

## Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

API:

43-047-37361

Well Name: HCU 2-28F Location: Section 28-10S-20E, 290' FNL & 1652' FEL Company Permit Issued to: Dominion Exploration & Production, Inc. Date Original Permit Issued: 11/10/2005
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□ No ☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No☑
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes ☐ No ☑
Has the approved source of water for drilling changed? Yes□No☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐
Signature 10/26/2006  Date
Title: Sr. Regulatory Specialist
Representing: Dominion Exploration & Production, Inc.

RECEIVED OCT 3 0 2006

## Division of Oil, Gas and Mining

ROUTING 1. DJJ

,		· ·	
OPERATOR	<b>CHANGE</b>	WORKS	HEET

of their responsibility to notify all interest owners of this change on:

**COMMENTS:** 

2. CDW X - Change of Operator (Well Sold) Operator Name Change/Merger The operator of the well(s) listed below has changed, effective: 7/1/2007 **FROM:** (Old Operator): **TO:** ( New Operator): N1095-Dominion Exploration & Production, Inc. N2615-XTO Energy Inc 14000 Quail Springs Parkway, Suite 600 810 Houston St Oklahoma City, OK 73134 Fort Worth, TX 76102 Phone: 1 (405) 749-1300 Phone: 1 (817) 870-2800 CA No. HILL CREEK Unit: WELL NAME SEC TWN RNG API NO LEASE TYPE WELL ENTITY WELL NO **TYPE STATUS** SEE ATTACHED LIST **OPERATOR CHANGES DOCUMENTATION** Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 8/6/2007 (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 8/6/2007 3. The new company was checked on the Department of Commerce, Division of Corporations Database on: 8/6/2007 4a. Is the new operator registered in the State of Utah: **Business Number:** 5655506-0143 4b. If **NO**, the operator was contacted contacted on: 5a. (R649-9-2) Waste Management Plan has been received on: IN PLACE 5b. Inspections of LA PA state/fee well sites complete on: n/a 5c. Reports current for Production/Disposition & Sundries on: ok Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA BLM 7. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 8. Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: 9. Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: 9/27/2007 2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 9/27/2007 3. Bond information entered in RBDMS on: 9/27/2007 4. Fee/State wells attached to bond in RBDMS on: 9/27/2007 5. Injection Projects to new operator in RBDMS on: 9/27/2007 6. Receipt of Acceptance of Drilling Procedures for APD/New on: 9/27/2007 **BOND VERIFICATION:** Federal well(s) covered by Bond Number: UTB000138 Indian well(s) covered by Bond Number: n/a 3a. (R649-3-1) The NEW operator of any state/fee well(s) listed covered by Bond Number 104312762 3b. The **FORMER** operator has requested a release of liability from their bond on: The Division sent response by letter on: LEASE INTEREST OWNER NOTIFICATION: 4. (R649-2-10) The NEW operator of the fee wells has been contacted and informed by a letter from the Division

DEPARTMENT OF NATURAL RESOURCES	FORM 9
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL 🗸 OTHER	8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:	SEE ATTACHED
XTO Energy Inc. N3415	9. API NUMBER: SEE ATTACHED
3. ADDRESS OF OPERATOR: 810 Houston Street PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
CITY Fort Worth STATE TX ZIP 76102 (817) 870-2800	Natural Buttes
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED	соинту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPOR	
TYPE OF SUBMISSION TYPE OF ACTION	NI, OR OTHER DATA
ACIDIZE DEFECT	REPERFORATE CURRENT FORMATION
✓ NOTICE OF INTENT (Submit in Duplicate)  ✓ ACIDIZE  ✓ ACIDIZE  ✓ ACIDIZE  ✓ ACIDIZE  ✓ PRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS  OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)  CHANGE WELL STATUS  PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion:  COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	s, etc.
Effective July 1, 2007, XTO Energy Inc. has purchased the wells listed on the attachment	
Dominion Exploration & Production, Inc. 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134	
James D. Abercrombie Sr. Vice President, General Manager - Western Business Unit  Please be advised that XTO Energy Inc. is considered to be the operator on the attached under the terms and conditions of the lease for the operations conducted upon the lease is provided by Nationwide BLM Bond #104312750 and Department of Natural Resources	lands. Bond coverage
NAME (PLEASE PRINT) Edwin S. Ryan, Jr.,  SIGNATURE CLUVE LA FIJE TITLE Sr. Vice President  DATE 7/31/2007	t - Land Administration
This space for State use only)	RECEIVED
APPROVED 9 121107	AUG N 6 2007

(5/2000)

Coulene Russell

Division of Oil, Gas and Mining

Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

DIV. OF OIL, GAS & MINING

## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

#### Request to Transfer Application or Permit to Drill

Well name: SEE ATTACHED LIST						
API r	number:					
Loca	tion:	Qtr-Qtr:	Section:	Township Range		
Com	pany that filed original application:	DOMINION E	&P			
Date	original permit was issued:					
Com	pany that permit was issued to:	DOMINION	E&P			
heck		Des	ired Action:			
one						
	Transfer pending (unapproved) App	olication for Pe	ermit to Drill to ne	ew operator		
	The undersigned as owner with legal r submitted in the pending Application for owner of the application accepts and a	or Permit to Dri	ll, remains valid ar	nd does not require revision. The	new	
✓	Transfer approved Application for F	Permit to Drill 1	to new operator			
	The undersigned as owner with legal r	ights to drill on	the property as pe	ermitted, hereby verifies that the		
	information as submitted in the previous revision.	usly approved a		remains valid and does not requi	re ——	
	information as submitted in the previou	usly approved a		remains valid and does not requi	re ——	
Follo	information as submitted in the previou		application to drill,		Yes	N
	information as submitted in the previous revision.	ated to the ap	application to drill,			╁
	information as submitted in the previous revision.  wing is a checklist of some items related on private land, has the ownership	ated to the ap	application to drill,			N-
If loca	information as submitted in the previous revision.  wing is a checklist of some items rel	ated to the ap changed? updated?	application to drill,	should be verified.		<b>V</b>
If loca Have requi	information as submitted in the previous revision.  wing is a checklist of some items releated on private land, has the ownership lf so, has the surface agreement been any wells been drilled in the vicinity of	ated to the ap changed? updated?	application to drill, plication, which s	should be verified.  fect the spacing or siting		╁
lave lave oropo	information as submitted in the previous revision.  wing is a checklist of some items related on private land, has the ownership lf so, has the surface agreement been any wells been drilled in the vicinity of rements for this location?  there been any unit or other agreement	ated to the ap changed? updated? the proposed w ts put in place t	plication to drill, plication, which s vell which would af	should be verified.  fect the spacing or siting e permitting or operation of this		<b>✓</b>
Have requi Have propo	information as submitted in the previous revision.  The wing is a checklist of some items releated on private land, has the ownership lifts, has the surface agreement been any wells been drilled in the vicinity of rements for this location?  There been any unit or other agreement been well?  There been any changes to the access	ated to the ap changed? updated? the proposed w ts put in place to	plication to drill, plication, which s vell which would af	should be verified.  fect the spacing or siting e permitting or operation of this		✓ ✓
Have proportions that the Have proportions that the Have	information as submitted in the previous revision.  wing is a checklist of some items related on private land, has the ownership of the so, has the surface agreement been any wells been drilled in the vicinity of the rements for this location?  there been any unit or other agreement been well?  there been any changes to the access used location?	ated to the ap changed? updated? the proposed w ts put in place t route including changed?	plication to drill, plication, which seem which would after the ownership or right	should be verified.  fect the spacing or siting e permitting or operation of this t-of-way, which could affect the		✓ ✓ ✓

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

AUG 3 0 2007 (3/2004)

## N1095 DOMINION E and P, INC. to N2615 $\,$ XTO ENERGY, INC.

api	well_name	qtr_qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304735938	HCU 15-29F	NENW	32	100S	200E	U-28203		Federal	GW	APD
4304736047	HCU 15-31F	SWSE	31	100S	200E	U-30693		Federal	GW	APD
4304737361	HCU 2-28F	NWNE	28	100S	200E	U-28203		Federal	OW	APD
4304737444	HCU 15-33F	SWSE	33	100S	200E	14-20-H62-4782		Indian	OW	APD
4304738450	HCU 16-31F	NESE	31	100S	200E	U-30693		Federal	GW	APD
4304739611	HCU 12-29F	NWSW	29	100S	200E	U-28203		Federal	OW	NEW
4304737359	HCU 2-32F	NWNE	32	100S	200E	ML-22313-2		State	GW	APD
4304737422	HCU 15-32F	SESW	32	100S	200E	ML-22313-2		State	GW	APD
4304739063	HCU 10-32F	SENW	32	100S	200E	ML-22313-2		State	GW	APD

1 09/27/2007



## United States Department of the Interior

# BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155



IN REPLY REFER TO 3180 UT-922

Dominion Exploration & Production, Inc. Attn: James D. Abercrombie 14000 Quail Springs Parkway, #600 Oklahoma City, OK 73134-2600

August 10, 2007

Re:

Hill Creek Unit Uintah County, Utah

#### Gentlemen:

On August 8, 2007, we received an indenture dated June 30, 2007, whereby Dominion Exploration & Production, Inc. resigned as Unit Operator and XTO Energy Inc. was designated as Successor Unit Operator for the Hill Creek Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 15, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Hill Creek Unit Agreement.

Your statewide oil and gas Bond No. UTB000138 will be used to cover all operations within the River Bend Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble Acting Chief, Branch of Fluid Minerals

**Enclosure** 

AUG 1 6 2007

## **STATE OF UTAH**

	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS AND MI		5. LEASE DESIGNATION AND SERIAL NUMBER: U-28203
SUNDRY	NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill night horizontal k	7. UNIT OF CA AGREEMENT NAME: HILL Creek Unit		
1 TYPE OF WELL OIL WELL	8. WELL NAME and NUMBER: HCU 2-28F		
2. NAME OF OPERATOR:			9. API NUMBER:
XTO Energy  3. ADDRESS OF OPERATOR:		PHONE NUMBER:	4304737361  10. FIELD AND POOL, OR WILDCAT:
P.O. Box 1360	. Roosevelt State CO	,84066 (435) 722-4521	Natural Buttes
4. LOCATION OF WELL FOOTAGES AT SURFACE: 290° F	NL & 1,652' FEL		county: Uintah
QTR/QTR, SECTION, TOWNSHIP, RAN	ige meridian: NWNE 28 10\$ 2	20E S	STATE: UTAH
11. CHECK APPI	ROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submitin Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON  TUBING REPAIR
	CHANGE TO PREVIOUS PLANS  CHANGE TUBING	OPERATOR CHANGE PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT	CHANGE VELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion.	COMMINGLE PRODUCING FORMATIONS	<b>=</b>	other: Permit Extension
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
This is the second extens	ion that has been requested.	Approved by the Utah Division of Oil, Gas and Mining  Date: 10 - 10 - 07  By:	-
SIGNATURE(This space for State use offy)	Y SENT TO OPERATOR	TITLE Agent for XTO E	Energy  OCT - 9
(5/2000)	(See Ins	structions on Reverse Side)	DIV OF OIL, GAS & MINING

(5/2000)

# Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

NPI: 4304737361  Vell Name: HCU 2-28F  Ocation: 28 10S 20E 290' FNL & 1,652' FEL  Company Permit Issued to: XTO Energy  Date Original Permit Issued: 11/10/2005			
The undersigned as owner with legal rights to drill on the property as permitted bove, hereby verifies that the information as submitted in the previously pproved application to drill, remains valid and does not require revision.			
ollowing is a checklist of some items related to the application, which should be erified.	<u>e</u>		
located on private land, has the ownership changed, if so, has the surface greement been updated? Yes □ No ☑			
lave any wells been drilled in the vicinity of the proposed well which would affence spacing or siting requirements for this location? Yes ☐ No ☑	ct		
las there been any unit or other agreements put in place that could affect the ermitting or operation of this proposed well? Yes□No☑			
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑			
Has the approved source of water for drilling changed? Yes□No☑			
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑			
s bonding still in place, which covers this proposed well? Yes⊠No□			
M1/ 103.2007			
Signature Date			
itle: Agent			
Representing: XTO Energy			

### STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OUR CAS AND MINING

]	DIVISION OF OIL, GAS AND MI	NING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-28203	
SUNDRY	NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A	
Do not use this form for proposals to drill no	ew wells, significantly deepen existing wells below curr terals. Use APPLICATION FOR PERMIT TO DRILL fo	ent bottom-hole depth, reenter plugged wells, or	7. UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL OIL WELL		minus dual proposato.	8. WELL NAME and NUMBER:  HCU 2-28F	
2. NAME OF OPERATOR:			9. API NUMBER:	
XTO Energy, Inc.  3. ADDRESS OF OPERATOR:	wasting to the state of the sta	PHONE NUMBER:	4304737361 10. FIELD AND POOL, OR WILDCAT:	
	Roosevelt STATE UT ZIP		Undesignated	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 290' FI	NL & 1,652' FEL		COUNTY: Uintah	
QTR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN: 28 10S 2	OE S	STATE: UTAH	
11. CHECK APPR	ROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, RE	PORT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION	
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL  TEMPORARILY ABANDON	
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION  OPERATOR CHANGE	TUBING REPAIR	
·	CHANGE TO PREVIOUS PLANS  CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE	
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL	
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF	
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER: Permit Extension	
- Commence of the second of th	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMA	TION	
XTO Energy, Inc. hereby requests a one year extension of the state permit for the referenced well.  This is the third extension that has been requested.  Approved by the Utah Division of Oil, Gas and Mining  Date:  Date				
NAME (DI BASE DAINT) Kendell Jo	ohnson	TITLE Agent for XT	O Energy, Inc.	
SIGNATURE PRINT) RETIDENT SIGNATURE PRINT) RETIDENT SIGNATURE PRINT PART PRINT PART PRINT PART PRINT PART PART PART PART PART PART PART PAR				
(5/2000)	10130-2008	tructions on Reverse Side)	DECEIVEDO OCT 2.7 2008	



API:

4304737361

## Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

Well Name: HCU 2-28F Location: 290' FNL & 1,652' FEL Sec. 28, 10S-20E Company Permit Issued to: XTO Energy, Inc. Date Original Permit Issued: 11/10/2005				
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.				
Following is a checklist of some items related to the application, which should be verified.				
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes⊡No☑				
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes⊡ No ☑				
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes ☐ No ☑				
Has the approved source of water for drilling changed? Yes⊡No⊠				
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
Is bonding still in place, which covers this proposed well? Yes ☑No□				
Signature Date				
Title: Kendell Johnson				
Representing: XTO Energy, Inc.				

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		FORM 9 5.LEASE DESIGNATION AND SERIAL NUMBER:
DIVISION OF OIL, GAS, AND MINING			U-28203
SUNDF	RY NOTICES AND REPORTS ON	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
	sals to drill new wells, significantly deepen exis ugged wells, or to drill horizontal laterals. Use A		7.UNIT or CA AGREEMENT NAME: HILL CREEK
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: HCU 2-28F
2. NAME OF OPERATOR: XTO ENERGY INC			<b>9. API NUMBER:</b> 43047373610000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		PHONE NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0290 FNL 1652 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWNE Section: 28	P, RANGE, MERIDIAN: Township: 10.0S Range: 20.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  DEEPEN  OPERATOR CHANGE  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  TUBING REPAIR  WATER SHUTOFF	tate Extension for the	CASING REPAIR  CHANGE WELL NAME  CONVERT WELL TYPE  NEW CONSTRUCTION  PLUG BACK  RECOMPLETE DIFFERENT FORMATION  TEMPORARY ABANDON  WATER DISPOSAL  ✓ APD EXTENSION  OTHER:  Olumes, etc.  Approved by the  Utah Division of  Oil, Gas and Mining  ate:  October 26, 2009
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE  Remitting Clark	
Eden Fine SIGNATURE	505 333-3664	Permitting Clerk  DATE	
N/A		10/22/2009	



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047373610000

**API:** 43047373610000

Well Name: HCU 2-28F

Location: 0290 FNL 1652 FEL QTR NWNE SEC 28 TWNP 100S RNG 200E MER S

**Company Permit Issued to:** XTO ENERGY INC **Date Original Permit Issued:** 11/10/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

require revi	sion. Following is a ch	ecklist of some	tems related to th	e application, v	hich should be verified.
	ated on private land, h ed? 📗 Yes 🌘 No	as the ownershi	p changed, if so, h	as the surface	agreement been
	any wells been drilled requirements for this			ll which would	affect the spacing or
	nere been any unit or on sproposed well?		ts put in place that	could affect th	e permitting or operation
	there been any change the proposed location		route including ow No	vnership, or rig	ntof- way, which could
• Has tl	ne approved source of	water for drillin	g changed? 🔘 Y	res 📵 No	
	there been any physic je in plans from what				
• Is boı	nding still in place, wh	ich covers this p	roposed well? 🌘	Yes 📗 No	Approved by the Utah Division of I, Gas and Mining
Signature:	Eden Fine	<b>Date:</b> 10/22/2	2009		
Title:	Permitting Clerk Repre	senting: XTO EN	ERGY INC		October 26, 2009
		_		Þ	00 200

By: Doll

STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: U-28203	
	RY NOTICES AND REPORTS O		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
Do not use this form for propos bottom-hole depth, reenter plu DRILL form for such proposals.	sals to drill new wells, significantly deepen ex igged wells, or to drill horizontal laterals. Use	kisting wells below current APPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME: HILL CREEK
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: HCU 2-28F
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047373610000
<b>3. ADDRESS OF OPERATOR:</b> 382 Road 3100 , Aztec, NM, 8		NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0290 FNL 1652 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWNE Section: 28	P, RANGE, MERIDIAN: Township: 10.0S Range: 20.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION MPLETED OPERATIONS. Clearly show all pertirequests a one (1) year extension referenced well.	n of the State APD for the	
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Krista Wilson  SIGNATURE N/A	505 333-3647	Permitting Tech  DATE 11/8/2010	



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047373610000

**API:** 43047373610000

Well Name: HCU 2-28F

Location: 0290 FNL 1652 FEL QTR NWNE SEC 28 TWNP 100S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC **Date Original Permit Issued:** 11/10/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not

				• •	•	nich should be verified.
	eted on private land ed? 🔵 Yes 📵 N		wnersnip changed	i, it so, nas tne	surrace a	greement been
	any wells been drill requirements for tl				h would at	fect the spacing or
	ere been any unit on the sproposed well?			ace that could	affect the	permitting or operation
	there been any cha the proposed locat			uding ownersh	ip, or righ	of- way, which could
• Has th	e approved source	of water fo	or drilling changed	l? 🔵 Yes 📵	No	
	there been any phy e in plans from who					which will require a No
• Is bon	ding still in place,	which cove	rs this proposed v	vell? 🌘 Yes	D No U	oproved by the tah Division of Gas and Mining
nature:	Krista Wilson	Date:	11/8/2010			
Title:	Permitting Tech Rep	resenting:	XTO ENERGY INC			November 08, 2010
					I	Of the On

Sig

By: W

Sundry Number: 20412 API Well Number: 43047373610000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE	FC	FORM 9
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-28203
	RY NOTICES AND REPORTS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
	sals to drill new wells, significantly deeper igged wells, or to drill horizontal laterals.		7.UNIT or CA AGREEMENT NAME: HILL CREEK
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: HCU 2-28F
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047373610000
<b>3. ADDRESS OF OPERATOR:</b> 382 Road 3100 , Aztec, NM, 8		ONE NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0290 FNL 1652 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI	P, RANGE, MERIDIAN: Township: 10.0S Range: 20.0E Meridian:	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT	, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE	☐ ALTER CASING	CASING REPAIR
✓ NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME
11/15/2012	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	☐ FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	☐ PLUG AND ABANDON	☐ PLUG BACK
	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	☐ SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR	☐ VENT OR FLARE	☐ WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
	equests a one (1) year extens referenced well.	sion of the State APD for t	
NAME (PLEASE PRINT) Krista Wilson	<b>PHONE NUMBER</b> 505 333-3647	TITLE Permitting Tech	
SIGNATURE N/A		DATE 11/15/2011	

Sundry Number: 20412 API Well Number: 43047373610000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047373610000

**API:** 43047373610000

Well Name: HCU 2-28F

Location: 0290 FNL 1652 FEL QTR NWNE SEC 28 TWNP 100S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 11/10/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes No</li> </ul>
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes </li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔵 Yes 🌘 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

Signature: Krista Wilson Date: 11/15/2011

Title: Permitting Tech Representing: XTO ENERGY INC

Sundry Number: 31565 API Well Number: 43047373610000

STATE OF UTAH DEPARTMENT OF INTERMENT RESOURCES DIVISION OF OIL, GAS, AND MINING  SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form of proposals to drill new wells, significantly deepen existing wells below current bottom-hote goth, receiver layord wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO ORILL form for such proposals.  1. TYPE OF WELL OIL We				1	
SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hold depth, resirer bygged wells, or to drill horizontal laterals. Use APPLICATION HILLOREEK  T. YIPE OF MELL OF THE PROPOSAL TO SHIP TO		STATE OF UTAH		FORM 9	
DO NOT USE this form for proposals to drill new wells, significantly despen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION PROPERTY TO DRILL form for such proposals.  1. TYPE OF WELL  OIL Well  ADDRESS OF OPERATOR:  1. LOCATION OF WELL  OIL STATE:  OIL HOLE NOTICE, REPORT OF CONTROL ON THE DATA  TYPE OF SUBMISSION  TYPE OF MATCH  ORACLE ORACL					
CUTTENT DOTRILL from for such proposals.  1.17PE OF WELL  OIL YOUNG OF OPERATOR:  2. ANDRESS OF OPERATOR:  3. ADDRESS OF OPERATOR:  3. ADDRESS OF OPERATOR:  3. ADDRESS OF OPERATOR:  4. COCATION OF WELL  PROTICES AT SURFACE:  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0E Meridian: S  OUTOUT: NVINE Section: 28 Township: 10.0S Range: 20.0	SUNDF	RY NOTICES AND REPORTS	ON WELLS		
DI Well  2. NAME OF OPERATOR: XTO ENERGY INC  3. ADDRESS OF OPERATOR: PHONE NUMBER: 4.3047373610000  3. ADDRESS OF OPERATOR: PHONE NUMBER: 4.3047373610000  3. ADDRESS OF OPERATOR: PHONE NUMBER: 4.3047373610000  3. ADDRESS OF OPERATOR: NATURAL BUTTES  4. LOCATION OF WELL OCTORION, SCIENCION, TOWNSHIP, RANGE, MERIDIAN: CHROCK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION  CARGE REPART  SUBMISSION  CARGE REPART  SUBMISSION  TYPE OF ACTION  COUNTY:  UTAH  TYPE OF ACTION  THE COUNTY:  TYPE OF ACTION  COUNTY:  UTAH  TYPE OF ACTION  COUNTY:  STATE  COUNTY:  STATE  UTAH  TYPE OF ACTION  COUNTY:  STATE  COUNTY:  STATE  COUNTY:	current bottom-hole depth,	reenter plugged wells, or to drill horizon		I .	
ADDRESS OF OPERATOR: 3. ADDRESS OF OPERATOR: PO Box 6501, Englewood, CO, 80155 303.397-3727 Ext  4. LOCATION OF WELL POOTAGES AT SURFACE: CO20 FNL 1652 FEL COTOLOGY SURFACE: CO20 FNL 1652 FEL				I .	
FO Box 6501, Englewood, CO, 80155  303 397-3727 Ext  NATURAL BUTTES  COUNTY: UINTAH  11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF SUBMISSION  TYPE OF ACTION  ACIDIZE  ACIDIZ				I .	
PRODUCTION STATE SUBFACE: 0290 FN.1 FSS FEL 0290 FN.1 FSS FEL 0290 FN.1 FSS FEL 02170 FT. NWNE Section. 28 Township: 10.05 Range: 20.0E Meridian: S  11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    ACIDIZE		CO, 80155 303 397-3			
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION  TO CARRO REPAR  CARRO REPAR  CARRO REPAR  COMMENCE TREAT  RECONSTRUCTION  THE COMMENCE FRODUCING FORMATIONS  COMMENT WILL STREE  THE PRODUCTION STAT OR RESUME  THE PRODUCTION STAT OR RESUME  THE PRODUCTION STAT OR RESUME  THE PRODUCT OR STATE OR RES	FOOTAGES AT SURFACE:			I .	
TYPE OF SUBMISSION  TYPE OF ACTION    ACIDIZE			dian: S	I .	
A CIDIZE APPROVED ALTER CASING CASING REPAIR  A CIDIZE CHANGE TUBBAG CHANGE TUBBAG CHANGE WILL NAME  9/30/2013  CHANGE TUBBAG CHANGE WILL STATUS  CHANGE WELL STATUS  CHANGE WELL STATUS  CHANGE TUBBAG CHANGE WILL NAME  CHANGE WELL STATUS  CHANGE W		K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
ADDITICE OF INTEST Approximate date work will start:  9/30/2013    GHANGE TUBING   GHANGE WELL NAME   SUBSEQUENT REPORT   Date of Spud:   SPUD REPORT   Date of Spud:   DRELING REPORT   Date of Spud:   DRELING REPORT   Repersory Total Water Shuttor   Water Shuttor     SPUD REPORT   Date of Spud:   WATER SHUTOFF   SITA STATUS EXTENSION   OTHER   OTHER   OTHER   APD EXTENSION   APD EXTENSION   APD EXTENSION   APD EXTENSION   OTHER   STATUS EXTENSION   APD EXTENSION   OTHER   STATUS EXTENSION   APD EXTENSION     STATE STATE STATUS EXTENSION   APD EXTENSION     STATE ST	TYPE OF SUBMISSION		TYPE OF ACTION		
Approximate date work will start:  9/30/2013  GHANGE TO PREVIOUS PLANS  GHANGE TUBEND  GHANGE TREATS  GHANGE WELL STATUS  GHANGE WELL STATUS  GHANGE PRODUCING FORMATIONS  GHANGE WELL STATUS  GHANGE WELL STATUS  GHANGE PRODUCING FORMATIONS  GHANGE WELL STATUS  GHANGE WELL STATUS  GHANGE WELL STATUS  GHANGE PROPORT  Des of Spud:  REPORT GHANGE  WATER SHUTOFF  SITA STATUS EXTENSION  OTHER  12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  XTO Energy requests a one (1) year extension of the State APD for the referenced well.  NAME (PLEASE PRINT)  RICHARD STATUS EXTENSION  OTHER  NAME (PLEASE PRINT)  RICHARD STATUS EXTENSION  OTHER  NOVember 13, 2012  By:  NAME (PLEASE PRINT)  RICHARD STATUS EXTENSION  SITA STATUS EXTENSION  TIME STATUS EXTENSION  THE STATUS EXTENSION  T		ACIDIZE	ALTER CASING	CASING REPAIR	
COMMINGLE PRODUCTION FORMATIONS  CONVERT WELL TYPE  Date of Work Completion:  Date of Spud:  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  DISTRIBUTION  PHONE NUMBER  TITLE  Regulatory  SIGNATURE  DATE	Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Date of Work Completion:    OPERATOR CHANGE	9/30/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
OPERATOR CHANGE	SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
SPUD REPORT   REPERFORATE CURRENT FORMATION   SIDETRACK TO REPAIR WELL   TEMPORARY ABANDON	Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT   Date of Spud:   REPERFORATE CURRENT FORMATION   SIDETRACK TO REPAIR WELL   TEMPORARY ABANDON   TUBING REPAIR   VENT OR FLARE   WATER DISPOSAL   APD EXTENSION   APD EXTENSION   OTHER:   TUBING REPORT   Report Date:   WALER SHUTOFF   SITA STATUS EXTENSION   OTHER:   TUBING REPORT		_			
TUBING REPAIR		REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ARANDON	
DRILLING REPORT Report Date:  WILDCAT WELL DETERMINATION  OTHER:  12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  XTO Energy requests a one (1) year extension of the State APD for the referenced well.  NAME (PLEASE PRINT) Richard L. Redus  303 397-3712  PHONE NUMBER Regulatory  SITA STATUS EXTENSION  OTHER:  OTHER:  Utah Division of Oil, Gas and Mining  Date: November 13, 2012  By:  NAME (PLEASE PRINT) Richard L. Redus  303 397-3712  DATE					
NAME (PLEASE PRINT) Richard L. Redus  NOTHER  WILDCAT WELL DETERMINATION  OTHER  OTHER  OTHER:  I. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  Approved by the Utah Division of Oil, Gas and Mining  Date:  November 13, 2012  By:  NAME (PLEASE PRINT) Richard L. Redus  303 397-3712  Regulatory  SIGNATURE	DRILLING REPORT	_			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  XTO Energy requests a one (1) year extension of the State APD for the referenced well.  Approved by the Utah Division of Oil, Gas and Mining  Date: November 13, 2012  By:  NAME (PLEASE PRINT) PHONE NUMBER Regulatory  SIGNATURE  PHONE NUMBER Regulatory  DATE			STASTATOS EXTENSION		
XTO Energy requests a one (1) year extension of the State APD for the referenced well.  Approved by the Utah Division of Oil, Gas and Mining  Date: November 13, 2012  By:  NAME (PLEASE PRINT) PHONE NUMBER Richard L. Redus  303 397-3712 Regulatory  SIGNATURE  DATE			OTHER	<u>'</u>	
NAME (PLEASE PRINT) Richard L. Redus  303 397-3712  PHONE NUMBER Regulatory  DATE	I .	sts a one (1) year extension o		Approved by the Utah Division of	
NAME (PLEASE PRINT) Richard L. Redus  303 397-3712  PHONE NUMBER Regulatory  SIGNATURE  DATE				Date: November 13, 2012	
Richard L. Redus 303 397-3712 Regulatory  SIGNATURE DATE				J. 100 cul 00	
Richard L. Redus 303 397-3712 Regulatory  SIGNATURE DATE					
Richard L. Redus 303 397-3712 Regulatory  SIGNATURE DATE					
Richard L. Redus 303 397-3712 Regulatory  SIGNATURE DATE					
Richard L. Redus 303 397-3712 Regulatory  SIGNATURE DATE					
Richard L. Redus 303 397-3712 Regulatory  SIGNATURE DATE					
SIGNATURE DATE					
	SIGNATURE N/A		DATE 11/5/2012		

Sundry Number: 31565 API Well Number: 43047373610000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047373610000

**API:** 43047373610000

Well Name: HCU 2-28F

Location: 0290 FNL 1652 FEL QTR NWNE SEC 28 TWNP 100S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 11/10/2005

Title: Regulatory

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

to the wing to a checkflot of some femicated to the approachen, which checkflot be verified.
• If located on private land, has the ownership changed, if so, has the surface agreement been updated? 🔘 Yes 📵 No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 📵 Yes 🔘 No
Signature: Richard L. Redus Date: 11/5/2012

Representing: XTO ENERGY INC

Sundry Number: 44366 API Well Number: 43047373610000

			1	
	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES			5.LEASE DESIGNATION AND SERIAL NUMBER: U-28203	
SUNDF	RY NOTICES AND REPORTS (	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
	oposals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: HILL CREEK	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: HCU 2-28F	
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047373610000	
3. ADDRESS OF OPERATOR: PO Box 6501, Englewood,		PHONE NUMBER: '27 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0290 FNL 1652 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 28 Township: 10.0S Range: 20.0E Merid	an: S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
7/11/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	New construction	
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
	l — ,			
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	LI TEMPORARY ABANDON	
	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show a	I pertinent details including dates, o	depths, volumes, etc.	
XTO Energy reques	sts a one (1) year extension of	the State APD for the	Approved by the	
	referenced well.		Utah Division of Oil, Gas and Mining	
			Date: November 05, 2013	
			By: Bacylll	
NAME (PLEASE PRINT) Sephra Baca	<b>PHONE NUMBE</b> 719 845-2103	R TITLE Regulatory Analyst		
SIGNATURE		DATE		
N/A		11/4/2013		

Sundry Number: 44366 API Well Number: 43047373610000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047373610000

**API:** 43047373610000

Well Name: HCU 2-28F

Location: 0290 FNL 1652 FEL QTR NWNE SEC 28 TWNP 100S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 11/10/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

, , , , , , , , , , , , , , , , , , ,
• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

Signature: Sephra Baca Date: 11/4/2013

Title: Regulatory Analyst Representing: XTO ENERGY INC

Sundry Number: 56867 API Well Number: 43047373610000

	STATE OF UTAH		FORM 9
	5.LEASE DESIGNATION AND SERIAL NUMBER: U-28203		
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE		
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: HILL CREEK		
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: HCU 2-28F		
2. NAME OF OPERATOR: XTO ENERGY INC	9. API NUMBER: 43047373610000		
3. ADDRESS OF OPERATOR: PO Box 6501 , Englewood,	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0290 FNL 1652 FEL	COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWNE Section: 2	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION			
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
10/31/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN   DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:		1	
	OPERATOR CHANGE	PLUG AND ABANDON	LI PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Nopel Suite	WILDCAT WELL DETERMINATION	OTHER	OTHER:
XTO Energy reques	COMPLETED OPERATIONS. Clearly show all sts a one (1) year extension of referenced well.	the State APD for the	<u>'</u>
Malia Villers	<b>PHONE NUMBER</b> 303 397-3670	TITLE Lead Permitting Analyst	
SIGNATURE N/A		<b>DATE</b> 10/20/2014	

Sundry Number: 56867 API Well Number: 43047373610000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047373610000

API: 43047373610000

Well Name: HCU 2-28F

Location: 0290 FNL 1652 FEL QTR NWNE SEC 28 TWNP 100S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 11/10/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

<ul> <li>If located on private land, has the ownership change</li> <li>Yes </li> <li>No</li> </ul>	d, if so, has the surface agreement been updated? 🔵
Have any wells been drilled in the vicinity of the pro requirements for this location?     Yes      No	posed well which would affect the spacing or siting
<ul> <li>Has there been any unit or other agreements put in proposed well?  Yes No</li> </ul>	place that could affect the permitting or operation of this
Have there been any changes to the access route incorproposed location?     Yes      No	cluding ownership, or rightof- way, which could affect the
• Has the approved source of water for drilling change	d? 🔵 Yes 📵 No
Have there been any physical changes to the surface plans from what was discussed at the onsite evaluate	location or access route which will require a change in ion? ( Yes ( No
• Is bonding still in place, which covers this proposed	well? 📵 Yes 🔘 No
natura. Malia Villara Pata. 10/20/20	11.1

Signature: Malia Villers Date: 10/20/2014

Title: Lead Permitting Analyst Representing: XTO ENERGY INC



### State of Utah

#### DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

November 12, 2015

Malia Villers XTO Energy Inc. P.O. BOX 6501 Englewood, CO 80155

43-047-37361

Re: APDs Rescinded for XTO Energy Inc., Uintah County

Dear Ms. Villers:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded effective November 11, 2015.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

**Environmental Scientist** 

cc:

Well File

Bureau of Land Management, Vernal



Operator†	API Number	Well Name↑	Work Type†	Date Approved†	Permit Will Expire
XTO ENERGY INC	4304738783	KC 14-33E	DRILL	11/07/2006	11/07/2015
XTO ENERGY INC	4304738784	LCU 11-35F	DRILL	11/07/2006	11/07/2015
XTO ENERGY INC	4304738788	LCU 6-10H	DRILL	11/07/2006	11/07/2015
XTO ENERGY INC	4304738789	LCU 13-10H	DRILL	11/07/2006	11/07/2015
XTO ENERGY INC	4304738790	LCU 11-11H	DRILL	11/07/2006	11/07/2015
XTO ENERGY INC	4304738791	LCU 3-12H	DRILL	11/07/2006	11/07/2015
XTO ENERGY INC	4304736047	HCU 15-31F	DRILL	11/08/2004	11/08/2015
XTO ENERGY INC	4304737361	HCU 2-28F	DRILL	11/10/2005	11/10/2015
XTO ENERGY INC	4304739785	RBU 13-15F	DRILL	11/19/2007	11/19/2015
XTO ENERGY INC	4304739787	RBU 6-22F	DRILL	11/19/2007	11/19/2015
XTO ENERGY INC	4304737423	RBU 2-21F	DRILL	11/29/2005	11/29/2015
XTO ENERGY INC	4304738889	KC 9-31E	DRILL	11/29/2006	11/29/2015
XTO ENERGY INC	4304738890	KC 13-31E	DRILL	11/29/2006	11/29/2015
XTO ENERGY INC	4304738891	KC 12-33E	DRILL	11/29/2006	11/29/2015
XTO ENERGY INC	4304738892	LCU 7-10H	DRILL	11/29/2006	11/29/2015
XTO ENERGY INC	4304738893	LCU 1-12H	DRILL	11/29/2006	11/29/2015